## **CLAIM AMENDMENTS**

Please amend claims 14, 18 and cancel claims 15, 16, 20 as follows:

(Original) A vapor sensor apparatus, comprising:

a substrate containing a sensing element, wherein said substrate is located proximate to a sleeve portion which covers and protects said sensing element;

a vapor filter affixed to an end of said sleeve portion, wherein said end of said sleeve portion is located opposite said sensing element; and

a housing for retaining said substrate and a cover which snaps onto said housing, wherein said housing comprises walls from which a hole is formed through which vapors may pass, and wherein housing and said cover protect said vapor sensor apparatus from gravitationally settled materials thereof.

- 2. (Original) The apparatus of claim 1 wherein said vapor filter comprises a permeable membrane.
- 3. (Original) The apparatus of claim 1 comprising a plurality of contoured surfaces which form least one recessed area from plurality of contoured surfaces, such that said at least one recessed area allows access to vapors to said hole.
- 4. (Original) The apparatus of claim 1, wherein said hole is located centrally over above sensing element.
- 5. (Original) The apparatus of claim 1 wherein said vapor filter comprises a fine mesh material.

6. (Original) The apparatus of claim 1 wherein said sleeve portion comprises a plastic sleeve attached to said substrate

7. (Original) The apparatus of claim 1 wherein said cover and said housing are

formed from a plastic material.

8. (Original) A method for forming a vapor sensor apparatus, comprising the steps

of:

providing a substrate containing a sensing element, wherein said substrate is

located proximate to a sleeve portion which covers and protects said sensing

element;

connecting a vapor filter to an end of said sleeve portion, wherein said end of

said sleeve portion is located opposite said sensing element; and

providing a housing for retaining said substrate and a cover which snaps onto

said housing, wherein said housing comprises walls from which a hole is formed

through which vapors may pass, and wherein housing and said cover protect said

vapor sensor apparatus from gravitationally settled materials thereof.

9. (Original) The method of claim 8 further comprising the step of configuring a

plurality of contoured surfaces on said vapor sensor apparatus, wherein said

plurality of contoured surfaces form least one recessed area that allows access to

vapors to said hole.

10. (Original) The method of claim 8 further comprising the step of locating said

hole is located centrally over above sensing element.

11. (Original) The method of claim 8 further comprising the step of forming said

vapor filter from a fine mesh material.

Page 3 of 8 Serial No. 10/688,681 12. (Original) The method of claim 8 further comprising the step of configuring said

sleeve portion to comprise a plastic sleeve attached to said substrate

13. (Original) The method of claim 8 further comprising the step of forming said

cover and said housing are from a plastic material.

14. (Currently Amended) A vapor sensor system, comprising:

a gas vapor sensor comprising a substrate that includes a sensing element,

wherein said substrate is located proximate to a sleeve portion which covers and

protects said sensing element, wherein said gas vapor sensor further comprises a

gas vapor filter affixed to an end of said sleeve portion, wherein said end of said

sleeve portion is located opposite said sensing element and wherein said gas vapor

filter comprises a permeable membrane; and

a water heater to which said gas vapor sensor is mounted, wherein said gas

vapor sensor is mounted proximate to said water heater gas vapor sensor in a

manner which reduces air flow to said sensing element and prevents tampering of

said gas vapor sensor, such that said gas vapor sensor automatically shuts off an

ignition device associated with said water heater if said gas vapor sensor detects

gas vapors; and

a controller and a microprocessor associated with said gas vapor sensor,

wherein said controller and said microprocessor respectively control operations of

said gas vapor sensor and processes vapor detection information.

15. (Cancelled)

16. (Cancelled)

- 17. (Original) The system of claim 14 further comprising a housing for retaining said substrate and a cover which snaps onto said housing, wherein said housing comprises walls from which a hole is formed through which vapors may pass, and wherein housing and said cover protect said gas vapor sensor from gravitationally settled materials thereof.
- 18. (Currently Amended) The system of claim 17 wherein said gas vapor sensor comprises a plurality of contoured surfaces which form <u>at</u> least one recessed area from plurality of contoured surfaces, such that said at least one recessed area allows access to vapors to said hole.
- 19. (Original) The system of claim 18 wherein said hole is located centrally over above sensing element.
- 20. (Cancelled)